

This drawing is provisional and subject to our reconfirmation and/or revision without notice.





*** TIPW OS60 (01) *** (2100 1121) 00-07-05

DH1~DH2=25816 (±20)

Stroke for PB must be minimum 600 [+200] μm



Coordinates

Mark	X	Y	R
GM	0	0	—
DH1	3000	13000	—
DH2	2100	-12800	—
a1	3441	14908	430
a2	1585	15186	430
a3	-15151	2129	430
a4	-15291	535	430
a5	10434	-11190	430
a6	9208	-12219	430



Material			
Heat Treatment			
Hardness			
Plating			
Quantity	1/1000 mm	Cal. No. :	OS60
Unit	6:1	Parts :	
Scale			
Date			
Drawn			
Checked	T. Hiruta		
Approved			
Material	General Tolerances		
Heat Treatment	Dimensions		
Hardness	Angles		
Plating	Name: Frame for Case		
	Drawing No. : 0560C000		

This drawing is provisional and subject to our reconfirmation and/or revision without notice.





DC1, DC3, C2 CENTER

DH1 (DH2)

OS10-00A (01) *** (2100 1121) 00-07-06	7	Quantity	Cal. No. : OS10-00A	
	6	Unit	OS60-00A	
	5	Scale	Parts:	
	4	Date		
	3	Drawn		
	2	Checked	Name:	
1	Approved	Indications for Dial		
Material		Drawing No. : OS10D000		
Heat Treatment		General Tolerances		
Hardness		Dimensions		
Plating		Angles		

This drawing is provisional and subject to our reconfirmation and/or revision without notice.





DC1, DC3, C2 CENTER

DH1 (DH2)

OS10-00S (01) *** (2100 1121) 00-07-06 30.5	7		Quantity		Cal. No. : OS10-00S OS60-00S
	6		Unit	1/1000 mm	
	5		Scale	4:1	Parts:
	4		Date		
	3		Drawn		
2		Checked	T. Hiruta	Name:	Indications for Dial
1		Approved		Drawing No. : OS10D010	
*** TIPW	Material				
Heat Treatment		General Tolerances			
Hardness		Dimensions			
Plating		Angles			

This drawing is provisional and subject to our reconfirmation and/or revision without notice.




DC1, DC3, C2 CENTER DH1 (DH2)

OS10-00U (01) *** (2100 1121) 00-07-06	7	Quantity	Ca I. No. : OS10-00U
	6	Unit	OS60-00U
	5	Scale	4:1
	4	Date	Parts:
	3	Drawn	Name:
	2	Checked	T. Hiruta
1	Approved		Drawing No. : OS10D020
Material			
Heat Treatment		General Tolerances	
Hardness		Dimensions	
Plating		Angles	

This drawing is provisional and subject to our reconfirmation and/or revision without notice.


*** T I P W (01) *** (2100 1121) 00-07-06



Section A-A

S0. 9, P=0. 225mm

Ø 1000



7		Quantity		Ca l. No. :
6		Unit	1/1000 mm	Parts: 065-453
5		Scale	20:1	
4		Date		
3		Drawn		Name:
2		Checked	T. Hiruta	SETTING STEM
1		Approved		Drawing No. : 4530S000
Material				
Heat Treatment		General Tolerances		
Hardness		Dimensions		
Plating		Angles		